



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

January 22, 2004

Susan Watson
Regulatory Manager
Amrep, Inc.
990 Industrial Park Drive
Marietta, GA 30062

Subject: **Airysol Brand Surface Disinfectant**
EPA Registration No. 33176-5
Your Application Dated October 23, 2003

Dear Ms. Watson:

The following amendment, submitted in connection with registration under section of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

Proposed Amendment:

- Resubmission per Agency letter dated July 20, 2003

General Comment:


A stamped copy of the accepted labeling is enclosed.

Other Comments:

In reference to the Acute Inhalation Toxicity study, we have received a copy of an acceptable review dated February 16, 1999 and conclude that the acute inhalation data requirement has been satisfied for the subject product. I have also enclosed a copy of the acute toxicity review for your file.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6422 or Renae Whitaker at (703) 308-7003.

Sincerely,


Adam Heyward
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510C)

Enclosure

NOTE: Areas highlighted in blue are per Agency letter dated July 30, 2003 tvaerosols\223-224\08-03p.doc as of 08/12/03

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Avoid contamination of food and food utensils. In case of food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse. Causes eye and skin irritation. Avoid contact with eyes and skin.

FIRST AID STATEMENTS: IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARD: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool area away from heat or open flame. **DISPOSAL:** Do Not Puncture or Incinerate! IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

SPRAY DISINFECTANT: Disinfects and deodorizes surfaces through effective bactericidal and fungicidal activity. Kills ^A *Pseudomonas aeruginosa*, *Trichophyton mentagrophytes* (athletes foot fungus) on hard surfaces. Controls odors. A tuberculocidal against *Mycobacterium bovis* (BCG) when used undiluted at a contact time of 10 minutes at 25°C. *Kills HIV-1 (AIDS virus), Influenza A2 England Virus and Herpes simplex virus type 1 and type 2 on environmental hard surfaces. Effective when tested by the AOAC Germicidal Spray Method. This product may be used in hospitals.

DIRECTIONS FOR USE: Shake well before using.

For Surfaces: Clean soil deposits from surfaces to be treated. Remove protective cap, hold can upright and spray from a distance of 6 to 8 inches until area for treatment is thoroughly moistened. Allow surfaces to air dry a minimum of 10 minutes to ensure disinfection. Food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

For Control of Mold and Mildew on Hard, Non-Porous Surfaces: Clean surfaces prior to application, then spray surfaces until thoroughly moistened. Allow to dry. Repeat application in 14 days.

For Hospital Use: See use directions under "Surfaces." Walls, floors, bed frames, bedpans, urinals, furniture, fixtures, containers, toilet seats, diaper pails, examining tables. Spray telephone and similar bedside equipment not easily subject to normal disinfecting procedures.

For Household Use: See use directions under "Surfaces." Kitchens-Sinks, drainboard, cabinets, stove and refrigerator. Empty garbage cans and under sinks. Controls household odors and retards their return. **Bathroom-** Bathtub, wash basin, toilet seat, empty hampers, tiled walls. Controls bathroom odors **General Use-** Telephone, pet animal areas, diaper pails, nursery room.

Do not spray on polished wood, furniture or rayon fabrics.

***SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/ OBJECTS SOILED WITH BLOOD/BODY FLUIDS. KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/ OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling on inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS). Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Disinfection will occur in 10 minutes at 25°C. Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

08/03p

EPA REG. NO. 33176-5 EPA EST. NO. 10807-GA-1
(Equivalent to 19.55 Fluid Ounces)

FOR EMERGENCY MEDICAL INFORMATION
CHEM • TEL, INC. 1-800-255-3924



MANUFACTURED BY:
MBL INDUSTRIES, INC.
a solely owned subsidiary of Amrep, Inc.
990 Industrial Park Drive
Marietta, GA 30062




Surface Disinfectant

- Germicidal • Fungicidal • Staphylocidal
- Pseudomonacidal • Tuberculocidal
- Virucidal* • Deodorizes
- Prevents Mold and Mildew on Hard Non-Porous Surfaces
- Excellent for Veterinarian and Professional Grooming Tools and Equipment (Disinfects, Cleans, Cools)

Contains NO CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

ACTIVE INGREDIENTS:	
Ethyl alcohol	44.25%
n-Alkyl (50% C-14, 40% C-12, 10% C-16) (dimethyl benzyl ammonium chloride)	0.33%
o-Phenylphenol	0.25%
INERT INGREDIENTS:	55.17%
(Contains 0.3% sodium nitrite)	
TOTAL:	100.00%



KEEP OUT OF REACH OF CHILDREN.
WARNING:

See side panels for additional precautionary statements.
NET WT. 1 LB. (16 OZ.)(454 GRAMS)